Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

July 06, 2017

Tom Moe
USS Corporation
P.O. Box 417
8771 Park Ridge Dr
Mountain Iron, MN 55768

RE: Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Dear Tom Moe:
Enclosed are the analytical results for sample(s) received by the laboratory on June 21, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Melisa M Woods
melisa.woods@pacelabs.com
(218)742-1042
Project Manager

Enclosures

cc: Terri Sabetti, NTS

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

CERTIFICATIONS

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792
California Certification #2973
Montana Certificate #CERT0103
California Certification #2973
Alaska Certification UST-107
Alaska Certification UST-107
Alaska Certification #MN01084
Arizona Department of Health Certification #AZ0785
Minnesota Dept of Health Certification #: 027-137-445
North Dakota Certification: # R-203
Wisconsin DNR Certification # : 998027470
WA Department of Ecology Lab ID# C1007
Nevada DNR #MN010842015-1
Oklahoma Department of Environmental Quality
California Certification #2973

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

SAMPLE SUMMARY

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1290038001	**WS-002 Scrubber Make-Up**	Water	06/21/17 12:10	06/21/17 14:45
1290038002	**WS-003 Thickner Overflow**	Water	06/21/17 12:00	06/21/17 14:45

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

SAMPLE ANALYTE COUNT

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1290038001	**WS-002 Scrubber Make-Up**	EPA 200.7	MAR	3	PASI-V
		EPA 300.0	CSD	1	PASI-V
1290038002	**WS-003 Thickner Overflow**	EPA 200.7	MAR	3	PASI-V
		EPA 300.0	CSD	1	PASI-V

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

ANALYTICAL RESULTS

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Sample: WS-002 Scrubber Make-Up **Lab ID: 1290038001** Collected: 06/21/17 12:10 Received: 06/21/17 14:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP, Lab Filtered	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Calcium, Dissolved	**109**	mg/L	5.0	0.91	10	06/22/17 10:07	06/22/17 15:40	7440-70-2	
Magnesium, Dissolved	**220**	mg/L	5.0	0.68	10	06/22/17 10:07	06/22/17 15:40	7439-95-4	
Total Hardness, Dissolved	**1180**	mg/L	100	5.0	10	06/22/17 10:07	06/22/17 15:40		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0								
Sulfate	**842**	mg/L	20.0	10.0	10		06/29/17 13:07	14808-79-8	

Sample: WS-003 Thickner Overflow **Lab ID: 1290038002** Collected: 06/21/17 12:00 Received: 06/21/17 14:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP, Lab Filtered	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Calcium, Dissolved	**760**	mg/L	5.0	0.91	10	06/22/17 10:07	06/22/17 15:43	7440-70-2	
Magnesium, Dissolved	**173**	mg/L	5.0	0.68	10	06/22/17 10:07	06/22/17 15:43	7439-95-4	
Total Hardness, Dissolved	**2610**	mg/L	100	5.0	10	06/22/17 10:07	06/22/17 15:43		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0								
Sulfate	**2040**	mg/L	40.0	20.0	20		06/29/17 13:28	14808-79-8	

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

QC Batch: 117236
QC Batch Method: EPA 200.7
Analysis Method: EPA 200.7
Analysis Description: 200.7 MET Dissolved
Associated Lab Samples: 1290038001, 1290038002

METHOD BLANK: 463479 Matrix: Water
Associated Lab Samples: 1290038001, 1290038002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Calcium, Dissolved	mg/L	ND	0.50	0.091	06/22/17 14:36	
Magnesium, Dissolved	mg/L	ND	0.50	0.068	06/22/17 14:36	

LABORATORY CONTROL SAMPLE: 463480

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Calcium, Dissolved	mg/L	50	49.7	99	85-115	
Magnesium, Dissolved	mg/L	50	49.8	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 463481 463482

Parameter	Units	1289886001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Calcium, Dissolved	mg/L	29.7	50	50	82.0	81.1	105	103	70-130	1	20	
Magnesium, Dissolved	mg/L	51.0	50	50	102	102	102	101	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

QC Batch: 117842 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Associated Lab Samples: 1290038001, 1290038002

METHOD BLANK: 466227 Matrix: Water
Associated Lab Samples: 1290038001, 1290038002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	ND	2.0	1.0	06/29/17 09:39	

LABORATORY CONTROL SAMPLE: 466228

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	50	49.7	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 466229 466230

Parameter	Units	1290185001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	8.7	100	100	113	113	105	105	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 466231 466232

Parameter	Units	1290022001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	454	500	500	957	953	101	100	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALIFIERS

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-V Pace Analytical Services - Virginia

Pace Analytical Services, LLC
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MinnTac NPDES Line 3 Wkly
Pace Project No.: 1290038

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1290038001	**WS-002 Scrubber Make-Up**	EPA 200.7	117236	EPA 200.7	117274
1290038002	**WS-003 Thickner Overflow**	EPA 200.7	117236	EPA 200.7	117274
1290038001	**WS-002 Scrubber Make-Up**	EPA 300.0	117842		
1290038002	**WS-003 Thickner Overflow**	EPA 300.0	117842		

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Requ

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant f

WO# : 1290038

PM: MMW **Due Date: 07/06/17**

CLIENT: USS CORP

1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	USS Corporation	Report To:	Tom Moe	Attention:	
Address:	P.O. Box 417	Copy To:		Company Name:	
Mt. Iron, MN 55768				Address:	
Email:		Purchase Order #:		Pace Quote:	
Phone:	Fax:	Project Name:	NPDES-LINE 3 Wkly	Pace Project Manager:	heather.zika@pacelabs.com,
Requested Due Date:		Project #:		Pace Profile #:	

Regulatory Agency

State / Location

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique MATRIX / CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analysis Test Y/N	LAB FILTERED: SO4	Lab FILTERED: Ca,Mg,Hard	Residual Chlorine (Y/N)	
1	WS-002 Scrubber Make-Up	WT		6-2-17	12:10	6-2-17	12:10												X	X		LF,LF 001
2	WS-003 Thickner Overflow	WT		6-2-17	12:00	6-2-17	12:00												X	X		LF,LF 002
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Paul Mattila	6-2-17	14:45	TJB	6-2-17	14:45	3.1	Y	N	Y

SAMPLER NAME AND SIGNATURE			
PRINT Name of SAMPLER:	Paul Mattila		
SIGNATURE of SAMPLER:	Paul Mattila	DATE Signed:	6-2-17

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

Pace Analytical®	Document Name: Sample Condition Upon Receipt Form	Document Revised: 15Mar2016 Page 1 of 1
	Document No.: F-VM-C-001-Rev.10	Issuing Authority: Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: USS Corp

Project #: **WO#: 1290038**

PM: MMW **Due Date: 07/06/17**

CLIENT: USS CORP

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No Seals Intact? ☐ Yes ☐ No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other: _____ Temp Blank? ☒ Yes ☐ No

Thermometer Used: ☒ 140792808 Type of Ice: ☒ Wet ☐ Blue ☐ None ☐ Samples on ice, cooling process has begun

Cooler Temp Read °C: 2.8 Cooler Temp Corrected °C: 3.1

Temp should be above freezing to 6°C Correction Factor: +0.3 Date and Initials of Person Examining Contents: 6-27-17 MS

Biological Tissue Frozen? ☐ Yes ☐ No ☒ NA

Comments:

Chain of Custody Present?	☒ Yes	☐ No	☐ N/A	1.
Chain of Custody Filled Out?	☒ Yes	☐ No	☐ N/A	2.
Chain of Custody Relinquished?	☒ Yes	☐ No	☐ N/A	3.
Sampler Name and Signature on COC?	☒ Yes	☐ No	☐ N/A	4.
Samples Arrived within Hold Time?	☒ Yes	☐ No	☐ N/A	5. If Fecal: ☐ <8 hours ☐ >8, <24 hours ☐ >24 hours
Short Hold Time Analysis (<72 hr)?	☐ Yes	☒ No	☐ N/A	6.
Rush Turn Around Time Requested?	☐ Yes	☒ No	☐ N/A	7.
Sufficient Volume?	☒ Yes	☐ No	☐ N/A	8.
Correct Containers Used?	☒ Yes	☐ No	☐ N/A	9.
-Pace Containers Used?	☒ Yes	☐ No	☐ N/A	
Containers Intact?	☒ Yes	☐ No	☐ N/A	10.
Filtered Volume Received for Dissolved Tests?	☒ Yes	☐ No	☐ N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: WT	☒ Yes	☐ No	☐ N/A	12.
All containers needing acid/base preservation will be checked and documented in the pH logbook.	☐ Yes	☐ No	☒ N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	☐ Yes	☐ No	☒ N/A	13.
Headspace in VOA Vials (>6mm)?	☐ Yes	☐ No	☒ N/A	14.
Trip Blank Present?	☐ Yes	☐ No	☒ N/A	15.
Trip Blank Custody Seals Present?	☐ Yes	☐ No	☒ N/A	
Pace Trip Blank Lot # (if purchased): _____				

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____ Field Data Required? ☐ Yes ☐ No

Comments/Resolution: _____

FECAL WAIVER ON FILE Y N TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Melissa Wardle Date: 6/22/17

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)